



AMVAC

AGRICULTURAL

BULLETIN

SPECIAL LOCAL NEED 24(c) LABELING

K-SALT™ FRUIT FIX™ 200 FOR REDUCTION OF PRE-HARVEST DROP IN D'ANJOU PEARS IN OREGON

This label valid until December 31, 2009 or until otherwise amended, withdrawn, cancelled or suspended.

SUPPLEMENTAL LABELING FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

EPA REG. NO. 5481-414
EPA SLN NO. OR-010002

ACTIVE INGREDIENT:

1-Naphthaleneacetic Acid, Potassium Salt* 6.25%

INERT INGREDIENTS: 93.75%
Total 100.00%

*Equivalent to 5.18% 1-Naphthaleneacetic Acid or 200 grams (0.44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
EMERGENCY INFORMATION	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY: Transportation: CHEMTREC.....1-800-424-9300 Other: AMVAC.....1-323-264-3910	

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift from treated areas. Do not use in a greenhouse.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated area during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks, and protective eyewear.

To Reduce Pre-Harvest Drop in D'Anjou Pears

K-Salt Fruit Fix 200 becomes effective in 3 to 4 days after application and controls drop for two (2) weeks. K-Salt Fruit Fix 200 may be applied by ground or air. For optimum results, apply 7 to 14 days before harvest. For maximum effectiveness, sprays should be applied when the temperature is 70°F or higher. The lower rate of K-Salt Fruit Fix 200 can be used under normal weather conditions. If warmer temperature conditions (i.e. 90-95°F) are expected to occur for a period greater than 3 consecutive days following the application, then the higher rate of K-Salt Fruit Fix 200 (up to 32 fl. oz. per acre) may be used. A repeat application of K-Salt Fruit Fix 200 is recommended only if the efficacy of the first application of product is declining, such as due to high temperatures. Consult your local Extension Pomologist as to time of application and rates to be used in your area for your specific stop drop situation.

IMPORTANT

This label must be in possession of the user at the time of pesticide application.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow all other applicable directions, restrictions and precautions on the EPA-registered label.

24(c) Registrant:

**Amvac Chemical Corporation
4100 E. Washington Boulevard
Los Angeles, CA 90023 U.S.A.
(323) 264-3910**

GROUND APPLICATION: For dilute spray, mix 3.6 to 4.8 fl. oz. K-Salt Fruit Fix 200 per 100 gallons of water and apply 300 to 600 gallons of the spray mixture per acre of trees. For concentrate spray, use 16 to 32 fl. oz. K-Salt Fruit Fix 200 (25 to 50 grams of active ingredient) per acre in sufficient water to ensure good coverage of trees.

AERIAL APPLICATION: Use 16 to 32 fl. oz. K-Salt Fruit Fix 200 (25 to 50 grams of active ingredient) in 5 to 10 gallons of water per acre. Aircraft should utilize spray equipment which gives thorough coverage to all portions of the trees. Apply only when weather conditions favor minimal spray drift.

USE RESTRICTIONS

1. Do not make more than two (2) applications of K-Salt Fruit Fix 200 at 16 fl. oz (25 grams a.i./A) or one (1) application of K-Salt Fruit Fix 200 at 32 fl. oz. (50 grams a.i./A) per stop drop season. Allow 7 to 14 days between applications.
2. Do not delay picking beyond optimum maturity.
3. PHI - Do not apply within two (2) days of harvest.
4. Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a cool (not in direct sunlight), dry, locked place out of reach of children. Do not allow product to freeze.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.