

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER**

Acute Hazards: Fatal if inhaled. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some people.

Hazard Avoidance: Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wear protective clothing, protective eyewear, and respiratory protection as listed under "Personal Protective Equipment." Wash thoroughly with soap and water after handling and before eating, drinking, or smoking. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT:

Handlers who mix packages containing 1 lb or more of this product must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves (such as waterproof or rubber gloves)
- Chemical-resistant footwear plus socks
- Protective eyewear (goggles or face shield)
- Respirator with a dust/mist filtering respirator (MSHA NIOSH approval number prefix TC-21C or NIOSH approved respirator with any N, R, P, or HE filter)

Handlers who mix packages containing less than 1 lb of this product must wear:

- Chemical-resistant gloves (such as waterproof or rubber gloves)
- Protective eyewear (goggles or face shield)

Applicators who handle bait must wear:

- Chemical-resistant gloves (such as waterproof or rubber gloves)

RESTRICTED USE PESTICIDE

Due to High Acute Inhalation Toxicity, Eye and Skin Corrosiveness to Humans; High Acute Toxicity to Nontarget Birds and Aquatic Invertebrates; and the Need for Highly Specialized Applicator Training.

For use only by U.S. Department of Agriculture Animal and Plant Health Inspection Service Certified Applicators trained in bird control, and certified and licensed in the category of Vertebrate Pests by the Oregon Department of Agriculture.

**COMPOUND DRC-1339
CONCENTRATE – STAGING AREAS**

*FOR DISTRIBUTION AND USE ONLY IN UMATILLA COUNTY, OREGON
For the control of magpies in apple orchards using elevated bait stations.*

Active Ingredient:
Starlicide, 3-chloro-p-toluidine hydrochloride: 97.0%
Inert Ingredients: 3.0%
TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

**DANGER-PELIGRO
POISON**



FIRST AID

Have label with you when obtaining treatment advice.

If swallowed	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor immediately for treatment advice.
If inhaled	- Move person to fresh air. - If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor immediately for treatment advice.
If in eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. See additional PRECAUTIONARY STATEMENTS on Left Panel.

User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is very highly toxic to birds and aquatic invertebrates. **Do not** use in any manner that may endanger desirable and protected bird species. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply when runoff is likely to occur. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. **Do not** contaminate water by the cleaning of equipment or disposal of equipment washwaters or rinsate.

THIS LABEL AND THE FEDERAL LABEL MUST BE IN POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. READ THE ENTIRE LABEL AND THE ENTIRE FEDERAL LABEL. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS FOUND ON EITHER LABEL.

**UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
4700 River Road, Unit 152
Riverdale, MD 20737**

**EPA Reg. No. 56228-30
SLN NO. OR-010024
EPA Est. No. 56228-ID-1**

Net Contents: _____

This label is valid until December 31, 2014 or until otherwise amended, withdrawn, canceled or suspended.

ENDANGERED SPECIES CONSIDERATIONS

Before undertaking and control operations with the product, consult with local, State and Federal Wildlife authorities to ensure the use of this product presents no hazard to any threatened or endangered species. **DO NOT** apply in areas where the product may be consumed by threatened or endangered species.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

Read the entire label. Use strictly in accordance with precautionary statements, use directions, and all applicable State and Federal laws and regulations.

Permits: A Federal permit is not required to control magpies under 50 CFR Section 21.43.

USE RESTRICTIONS:

FOR USE ONLY IN UMATILLA COUNTY, OREGON.

Use only in bait stations elevated to a height of at least 6 feet, out of reach of children, and located in and around apple orchards. Do not make broadcast or aerial applications of this product.

Use Pattern: This product contains a slow-acting (1 to 3 days) avicide for the control of magpies in Umatilla County, Oregon apple orchards. This product is only to be used for formulating dry dog food bait that can only be applied in bait stations elevated to a height of at least 6 feet.

Pretreatment Observations: Pretreatment observations of the site are required.

Before applying treated bait, observe target populations thoroughly to determine their relative numbers, feeding habits, preferred staging or feeding location, and daily activity patterns. Once potential "staging" areas are located, they must be observed to determine the relative abundance of nontarget species. **DO NOT** apply bait in areas where there is danger of consumption by threatened or endangered species.

Prebaiting: Prebaiting with untreated dog food is required.

After daily activity patterns of birds have been noted and appropriate baiting location selected, apply untreated dog food following methods described in the "**Application Directions**" section of this label. After selecting potential staging area sites, prebait with untreated bait for 3-7 days or until prebait is generally well accepted. Change prebaiting locations if necessary to achieve good acceptance by target species or if nontarget species have been observed eating the prebait. **DO NOT** apply treated bait at sites where prebait has not been well accepted by target species or where nontarget species have been observed eating prebait.

DIRECTIONS FOR USE, (cont'd)

Bait Formulation: This product may only be used to make baits from dry dog food. DO NOT use treated baits as food or feed.

Dissolve or suspend 1.6 oz (46 gm) Compound DRC-1339 Concentrate - Staging Areas - Oregon in 16 oz (450 ml) of warm potable water or 10 oz (280 ml) of edible oil. Water should be heated to approximately 100F (43C) before adding DRC-1339. Binding agents, such as lecithin oils, latexes, or polyvinyl acetates, may be used to enhance retention and to reduce losses due to moisture. Do not use more than 3 oz (85 gm) binding agent per 10 lb (4.5 kg) of dry dog food. Pour or spray the DRC-1339 solution or suspension over 10 lb (4.5 kg) dry dog food in a plastic bag, plastic container, plastic drop cloth, or mixer and mix or tumble slowly until the mixture is evenly distributed. Air-dry bait at an ambient temperature.

Treated dog food bait may be used up to 7 days after preparation if stored in a cool and dry location such as a climate-controlled building or structure. Baits that have been exposed to sunlight or heat of 110F (43C) may discolor and must be either used immediately or disposed of as pesticide waste.

Application Directions: Wear rubber gloves while handling or dispensing baits. Dispense bait using a scoop or other appropriate device. Place bait in bait stations **elevated to a height of at least 6 feet** where DRC-1339 will not contaminate food or feed and is out of the reach of children.

Bait stations should have lips or edges which will preclude spillage of bait.

Bait Dilution: Prior to application, treated bait must be diluted with untreated dog food at a rate of 1:1 (treated:untreated) or more.

Place up to 10 lb (4.5 kg) of diluted bait in one or more elevated bait stations at a rate that does not exceed 10 lb of treated bait/acre (maximum of 0.1 lb active ingredient/acre). Mark locations of all baited areas and bait containers with bilingual (Spanish and English) warning signs. Replace diluted bait when it is 75% consumed, after 1 week, or following precipitation of 0.4 inches (10 mm). Retrieve bait containers at the end of the treatment period.

POST TREATMENT: When baiting is completed, remove all bait containers and unconsumed retrievable bait. Disposed of unused or outdated bait in accordance with the Federal or State laws by burial in an approved sanitary landfill.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Store only in original container, in a dry place inaccessible to children, pets, and domestic animals. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty the container into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Dispose of unused or outdated bait and any disposable application equipment, including dropcloths, in accordance with State and Federal laws by burial in an approved sanitary landfill. Pesticide containers may be disposed of in an approved sanitary landfill, or recycled in an approved facility.

This label is valid until December 31, 2014 or until otherwise amended, withdrawn, canceled or suspended.