

# Supplemental Labeling



Dow AgroSciences LLC      9330 Zionsville Road      Indianapolis, IN 46268-1054 USA

**RESTRICTED USE PESTICIDE**

Because pronamide has produced tumors in laboratory animals, this product is for retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

## Kerb<sup>®</sup> 50-W

EPA Reg. No. 62719-397

24(c) Special Local Need Registration SLN OR-020029

**For Weed Control in Sugarbeets Grown for Seed Only**

**(For Distribution and Use Only in the State of Oregon)**

**Expiration Date:** This label is valid until December 31, 2011, or until otherwise amended, withdrawn, canceled, or suspended.

**ATTENTION**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read this SLN label and the label affixed to the container for Kerb<sup>®</sup> 50-W herbicide before applying.
- Use of Kerb 50-W according to this SLN label is subject to all use precautions and limitations imposed by the label affixed to the product container.

Active Ingredient:  
    pronamide: 3,5-dichloro-N-  
        (1,1-dimethyl-2-propynyl)-benzamide .....50.0%  
Inert Ingredients .....50.0%  
Total .....100.0%

## CAUTION

---

### Precautionary Statements

---

#### Hazards to Humans and Domestic Animals

**Causes Moderate Eye Irritation**

**Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.**

#### Environmental Hazards

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

---

## Directions for Use

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

### General Information

Kerb 50-W herbicide is a selective herbicide recommended for fall and winter applications to established seedling sugarbeets grown for seed for both preemergence and postemergence control of certain winter annual weeds and grasses.

### Application Rate

Kerb 50-W herbicide should be applied at 2.0 pounds (1.0 lb. active) per acre for preemergence or postemergence control of annual bluegrass, annual ryegrass, volunteer grains and chickweed.

Kerb 50-W herbicide should be applied postemergence to weeds and sugarbeets during the fall or early winter months after the sugarbeets have three to five sets of true leaves. Kerb 50-W herbicide may be broadcast over the top of sugarbeets.

### Mixing and Application

Mix the recommended amount of Kerb 50-W herbicide in water and apply in a minimum spray volume of 20 gallons per acre. Do not mix Kerb 50-W herbicide with spray adjuvants or pesticides other than Herbicide 273. Sprays should be applied to provide uniform distribution without skips or excessive overlapping of the spray pattern.

Kerb 50-W herbicide acts mainly through root absorption. In order to achieve good weed control, sufficient soil moisture from rain or irrigation is required following treatment to move Kerb 50-W herbicide into the soil to the weed root zone. Care should be taken to avoid spraying areas that may drain onto areas planted in cool season grasses or small grains.

### Specific Use Restrictions

- **Chemigation:** Do not apply this product through any type of irrigation system.
- For use only on crops grown for seed as listed on this label in the state of Oregon.

### Special Crop Use Restrictions

- The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator should provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, should provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed. This restriction pertains to, but is not limited to, green chop, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

**"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."**

**24(c) Registrant:** Dow AgroSciences • 9330 Zionsville Road • Indianapolis, IN 46268

®Trademark of Dow AgroSciences LLC

R156-022

Accepted: \_\_/\_\_/\_\_

Replaces: D06-156-012