



**Section 24(c) Special Local Need Label**

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

**Caparol® 4L**

**EPA Reg. No. 100-620  
EPA SLN No. OR-040002**

This label valid until December 31, 2012 or until otherwise amended, withdrawn, cancelled, or suspended.

**For Control Of Weeds In The Following Crops Grown For Seed:  
Carrots, Parsley, and Coriander**

Active Ingredient:

Prometryn: 2,4-bis(isopropyl-amino)-6-(methylthio)-s-triazine .....	44.4%
Other Ingredients: .....	55.6%
Total: .....	100.0%

Caparol 4L contains 4 lbs. active ingredient per gallon

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**SYNGENTA'S SPECIAL CONDITIONS, RISKS OF USE AND DISCLAIMER FOR USE  
OF CAPAROL 4L ON CROPS ON THIS 24C LABEL**

**IMPORTANT- READ BEFORE USE**

**THESE CONDITIONS RISKS OF USE AND DISCLAIMER ARE REQUIRED BY  
SYNGENTA CROP PROTECTION INC AND NOT SPECIFIED BY U.S. EPA OR THE  
STATE OF OREGON**

Labeling may be obtained through the Special Labels link at [www.farmassist.com](http://www.farmassist.com).

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SYNGENTA CROP PROTECTION, INC. INTENDS THAT THE PRODUCT THAT IS THE SUBJECT OF THIS SECTION 24C LABEL BE PURCHASED ONLY BY END USERS WHO AGREE BY ELECTRONIC SIGNATURE ON SYNGENTA CROP PROTECTION'S INTERNET SITE TO THE TERMS AND CONDITIONS REQUIRED BY SYNGENTA CROP PROTECTION, INC. INCLUDING A WAIVER AND RELEASE FROM ALL LIABILITY AND INDEMNIFICATION BY THE USER AND/OR GROWER OF SYNGENTA AND OTHERS FOR FAILURE TO PERFORM AND FOR CROP INJURY, CROP YIELD REDUCTION, AND/OR CROP LOSS FROM USE OF CAPAROL 4L ON CROPS ON THIS 24(C) LABEL. IF SUCH TERMS AND CONDITIONS ARE UNACCEPTABLE, RETURN THE CAPAROL 4L AT ONCE

**UNOPENED OR USE THE CAPAROL 4L FOR A DIFFERENT APPROVED USE IN ACCORDANCE WITH THE LABEL AFFIXED TO THE PRODUCT CONTAINER.**

**USE OF CAPAROL 4L (THE "PRODUCT") ON CROPS LISTED (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP. SYNGENTA RECOMMENDS THAT THE USER TEST THIS PRODUCT TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE.**

Syngenta Crop Protection, Inc. makes the Product available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors. Syngenta recommends that the user test this Product to determine its suitability for such intended use.

By purchasing the Product for use, or using the Product in the manner described in this Supplemental Labeling, you acknowledge and accept that, to the extent consistent with applicable law:

- 1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;**
- 2) Syngenta Crop Protection, Inc. do not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;**
- 3) Syngenta Crop Protection, Inc. do not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;**
- 4) Syngenta Crop Protection, Inc. disclaim all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;**
- 5) these conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Syngenta Crop Protection, Inc. or their respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.**

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

**FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.**

## **Environmental Hazards**

Do not apply directly to water, to areas where the surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas.

## **Endangered Species**

Certain uses of Caparol 4L may be restricted by a U.S. District Court final order. You may refer to the Oregon Department of Agriculture web site at <http://egov.oregon.gov/ODA/PEST/buffers.shtml> or to the U.S. EPA web site at <http://www.epa.gov/espp/wtc/maps.htm#wtc6> or <http://www.epa.gov/espp/wtc/uselimitation.htm> for information regarding pesticides that may be impacted by the final order.

---

## **DIRECTIONS FOR USE**

---

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### **Postemergence Application**

Broadcast Application: Apply 2 pints per acre after seed carrots, seed parsley or seed coriander have 3-5 true leaves. Apply before weeds are 2 inches tall.

**Notes:** (1) To reduce the chance of injury to rotational crops, the field should be disked as deep as possible and irrigated at least twice soon after harvest, (2) Use of Caparol 4L on soils that have excess salts or are highly calcareous may result in crop injury, (3) All applications are to be made by ground equipment with sufficient agitation in tank to keep mixture in suspension, using a minimum of 30 gallons per acre spray volume, and (4) Good spray coverage is required for adequate weed control.

### **Rotational Crops**

A green manure or cover crop can be planted following seed carrots, seed coriander, and seed parsley treated with Caparol 4L, if the crop is plowed down and not used for food or feed.

The following crops may be seeded 5 months after applying no more than 2 pints of Caparol 4L per acre on seed carrots, seed coriander, and seed parsley: cabbage, celery, corn, onions, peas, red beets and sweet corn.

Other rotational crops may be planted 18 months after application of no more than 2 pints of Caparol 4L per acre on seed carrots, seed coriander, and seed parsley.

**Restrictions/Precautions:**

- **DO NOT** apply more than 2 pints of Caparol 4L per acre
- **DO NOT** apply this product through any type of irrigation system.
- Temporary stunting has been observed following the application of Caparol 4L in combination with other fall-applied herbicides.

**Special Crop Use Restrictions**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator should provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, should provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Caparol® trademark of a Syngenta Group Company

© 2008 Syngenta

24(c) registrant:  
Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419-8300

EPA SLN No.: OR-040002

OR0620051BA0108