

Arizona Chemical Group

FIFRA 24c Registration  
Supplemental Labeling

## Times Up T/C

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

EPA Reg. No. 55431-3

EPA SLN No. OR-060004

### For control of certain insects in Western Red Cedar and Douglas Fir Seed Orchards

“This label valid until December 31, 2010 or until otherwise amended, withdrawn, canceled, or suspended.”

| Active Ingredient         | By Weight |
|---------------------------|-----------|
| Permethrin*.....          | 38.0%     |
| Other Ingredients** ..... | 62.0%     |
| TOTAL .....               | 100%      |

\*cis / trans ratio: Max 42% (+) cis and min. 58% (+) trans

\*\* Contains petroleum distillates.

Contains 3.2 pounds Permethrin per gallon as an emulsifiable concentrate.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. States may have more restrictive requirements regarding qualifications of persons using this product. Consult your State Pest Control Regulatory Agency prior to use of this product.

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions and precautions on this supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

## ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply this product or allow it to drift to crops or weeds on which bees are actively foraging. This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to inter tidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters. Do not apply when weather conditions favor drift from treated areas.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

### APPLICATION DIRECTIONS

For control of Western Cedar Cone Midge (*Myetiola thujae*) infesting red cedar seed orchards: Dilute product at a rate of 8 fluid ounces per 100 gallons of water. Apply in sufficient volume to adequately cover foliage. It is important to make the application in early March just as egg laying starts. In most years egg monitoring should start in mid-February since abnormally warm weather can result in early pest activity. Make only one application per year.

For control of coneworms, or pitch moths such as *Dioryctria contortella* infesting Douglas fir seed orchards: Dilute product at a rate of 1 quart per 100 gallons of water. Apply to wounds at the time of wounding or by April to the point of runoff. Make only one application per year.

### RESTRICTIONS

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM

24(c) Registrant

Arizona Chemical Group, Inc.  
P. O. Box 20464  
Mesa, AZ 85277

