

# Outlook<sup>®</sup>

herbicide

## Supplemental Label

EPA Reg. No. 7969-156

EPA SLN: OR-060014

FOR DISTRIBUTION AND USE ONLY WITHIN OREGON

FOR WEED CONTROL IN CONIFER FOREST TREE NURSERY TRANSPLANT  
BEDS.

This label is valid until December 31, 2010 or until otherwise amended, withdrawn, canceled or suspended.

**Active ingredient\*:**

Dimethenamid-P: (S)-2-chloro-N-[(1-methyl-2-methoxy)ethyl]- N-(2,4-dimethyl-thien-3-yl)-acetamide .....	63.9%
<b>Inert ingredients**</b> .....	36.1%
<b>Total:</b> .....	100.0%

- \* contains 6.0 pounds of active ingredient (dimethenamid-P) per gallon
- \*\* contains petroleum distillates, xylene or xylene range aromatic solvent

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered main label, and this label.

This labeling must be in the possession of the user at the time of application.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read the **Precautionary Statement, Environmental Hazards, Storage and Disposal** statements, and **Conditions of Sale and Warranty** statement appearing on the container label.

### GENERAL INFORMATION

**Outlook** may be used as part of a weed management program in Forest Tree Nursery transplant beds, including on seedlings (propagative material) of certain conifer species including Douglas Fir, Western Hemlock and Western Red Cedar. When applied as directed, **Outlook** will provide soil residual control of annual grasses, annual broadleaf weeds, and

sedges. See **Table 1** of EPA-approved main label for **Outlook** for complete list of weeds controlled.

**Outlook** will not control weeds that have emerged from soil. Application must be made to clean-tilled soil before weeds emerge from soil or in a program with other herbicides that control emerged weeds.

### APPLICATION INFORMATION

**Method:**

**Outlook** may only be applied by **ground (broadcast) applications**. Refer to EPA-approved main label for **Outlook** for specific instructions for application methods.

**Timing:**

Pre-emergence applications of **Outlook** may only be applied in transplant nursery beds. **DO NOT** apply to forest tree seedbeds.

Apply **Outlook** after dormant trees have been transplanted for at least 3 days and prior to weed emergence and bud break of trees.

**Rates:**

Apply **Outlook** at 21 fluid ounces per acre. The suggested spray volume (water) is 10-40 gallons per acre.

**Outlook** may only be applied in a single application.

**ENDANGERED PLANT SPECIES**

Use low pressure nozzles according to the manufacturer’s specifications that produce only medium to coarse or very coarse droplets **AND** leave a 35 foot untreated buffer between treatment area and endangered plant populations.

**PRECAUTIONS AND LIMITATIONS**

**DO NOT** apply by air or through any type of irrigation system.

**DO NOT** apply more than 21 fluid ounces of **Outlook®** herbicide per acre, per season.

Refer to EPA-approved main label for all other **Restrictions and Limitations**.

Not all forest tree species or cultivars of species have been tested for plant safety. It is advised to test a small number of plants at the recommended rate and evaluate for suitability and crop safety prior to broad-scale applications.

**ENVIRONMENTAL HAZARDS**

**DO NOT** apply directly to water, areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

Dimethenamid-P has properties that may result in groundwater contamination. Application in areas where soils are permeable or coarse and groundwater is near the surface could result in groundwater contamination.

Dimethenamid-P has properties that may result in surface water contamination via dissolved runoff and runoff erosion. Practices should be followed to minimize the potential for dissolved runoff and/or runoff erosion.

<b>Conditions of Sale and Warranty</b>
<p>The <b>Directions For Use</b> of this product reflects the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION (“BASF”) or the Seller. All such risks shall be assumed by the Buyer.</p> <p>BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the <b>Directions For Use</b>, subject to the inherent risks, referred to above.</p> <p>BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT PERMITTED BY LAW, BASF OR THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing <b>Conditions of Sale and Warranty</b> which may be varied only by agreement in writing signed by a duly authorized representative of BASF.</p>

*Outlook is a registered trademark of BASF.*

©2006 BASF Corporation  
All rights reserved

007969-00156.20060807.NVA 2006-04-086-0238

**24(c) Registrant:**

BASF Corporation  
Agricultural Products  
26 Davis Drive  
Research Triangle Park, NC 27709

