

24(c) Supplemental Label
SPROUT NIP[®] EMULSIFIABLE CONCENTRATE
FOR EASTER LILY BULBS

FOR DISTRIBUTION AND USE ONLY IN CURRY COUNTY IN THE STATE OF
OREGON

This label is valid until December 31, 2010
or until otherwise amended, withdrawn, canceled or suspended.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label and the federal label for this product must be in the possession of the user at the time of pesticide application. Follow all other applicable directions, restrictions, and precautions on the EPA-registered label.

ACTIVE INGREDIENT:

Chlorpropham.....	36.0%
INERT INGREDIENTS:.....	64.0%
TOTAL	100.0%

EPA Reg. No. 34704-613
EPA SLN No. OR-060018

EPA Est. No. 37507-MT-1

06W06

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBERS

For **MEDICAL** Emergencies **ONLY** Call 24 Hours A Day 1-800-301-7976 .

For **TRANSPORTATION** Emergencies **ONLY** Call Chemtrec 24 Hours A Day 1-800-424-9300

“Have the product container or label with you when calling a poison control center or doctor, or going to treatment.”

PRECAUTIONARY STATEMENTS
CAUTION
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Do not take internally. Avoid contact with skin, eyes, or clothing. Avoid breathing of vapor or spray mist. Applicators and other handlers must wear chemical resistant gloves. Following application, workers must wear chemical resistant gloves while handling flower buds.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on the EPA chemical resistant category selection chart.

Mixers, loaders, applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton, shoes plus socks. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **12 hours**. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil or water is coveralls, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton, shoes plus socks.

FOR USE ON EASTER LILY BULBS

Chemical removal of flower buds in field grown Easter Lilies: For best results, apply when Easter Lily buds are 1/8 to 1/2 inches long. Use full cone flood jet nozzles (TG-5 or similar) placed one per plant row (2 per row on double row planted lilies). Direct the spray into the lilies bud "cup" area. Use 20-30 p.s.i. nozzle pressure. Higher pressure may result in reduction of control. Nozzle height should be 10" to 14" above the plant tops. Mechanical agitation should be provided. There is no benefit in spraying foliage.

Two applications of 2/3rds gallon (85 ounces) in a spray volume of 300 gallons of water per acre may be made within one-week period. Alternating direction of row travel on the second application may result in improved control where plant beds are not even.

Use Precautions:

Some yellowing may occur and stem elongation may be retarded.

Use Restrictions:

Do not apply this product through any type of irrigation system.

Do not apply more than 2/3rds gallon (85 ounces) of **SPROUT NIP® EMULSIFIABLE CONCENTRATE** (2.0 lb. Chlorpropham) per application.

Do not make more than two applications of **SPROUT NIP® EMULSIFIABLE CONCENTRATE** per season.

Section 24(c) Registrant:
Easter Lily Research Foundation
PO Box 907
Brookings, OR 97415

Formulated For:
Loveland Products, Inc.
PO Box 1286
Greeley, CO 80632-1286