

# RESTRICTED USE PESTICIDE

## Toxic to fish and aquatic organisms.

For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.



### 24 (C) LABEL FOR USE ON CARROTS and PARSLEY GROWN FOR SEED

EPA SLN No. OR-070014

EPA Reg. No. 279-3313

FOR DISTRIBUTION AND USE ONLY  
WITHIN THE STATE OF OREGON

This label valid until December 31, 2012 or until otherwise amended, withdrawn, canceled, or suspended.

This label and the federal label for this product must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### Active Ingredient: By Wt.

Bifenthrin: (2 methyl[1,1'-biphenyl]-3-yl)  
methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-  
2,2-dimethyl-cyclopropanecarboxylate\* .....25.1%


#### Inert

Ingredients:\*\*.....74.9%  
100.0%

\*\*Cis isomers 97% minimum, trans isomers 3% maximum.

\*\*Contains xylene range aromatic solvents.

This product contains 2 pounds active ingredient per gallon.  
U.S. Patent No. 4,238,505



**ALL-WEATHER FORMULA**

**KEEP OUT OF REACH OF CHILDREN  
WARNING  
AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)



FMC Corporation  
Agriculture Products Group  
1735 Market Street  
Philadelphia, PA 19103  
Brigade2EC\_24c\_OR\_CarrotParsley\_05-22-07

#### Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not make applications when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

The use of bifenthrin is prohibited in areas that may result in exposure of endangered species to bifenthrin. Prior to use in a particular county contact the local extension service for procedures and precautions to use to protect endangered species.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Chemical-resistant gloves, such as Barrier Laminate or Nitrile Rubber or Neoprene Rubber or Viton, shoes plus socks.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## APPLICATION INSTRUCTIONS

### Carrots Grown for Seed

**General:** Apply Brigade 2EC at the rate of 3.9 to 6.4 ounces (0.06 to 0.1 lb. active) per acre. Apply in a minimum of 8 gallons of water per acre by air or in a minimum of 20 gallons of water by ground.

**Crop/Site:** Carrots grown for seed.

**Target Pests:** Aphids, Lygus Bugs, and Spider Mites

**Application timing:** Brigade 2EC may be used only in the pre-bloom or post-bloom period. Bees, used for pollination, should not be introduced into the field within 5 days of the pre-bloom application. Bees, used for pollination, must be removed from the field before a post-bloom application is made.

Make aerial or ground applications when the wind velocity favors on target product disposition (approximately 3 to 10 MPH). Do not apply when wind velocity exceeds 15 MPH.

**Rate:** Use 3.9 to 6.4 ounces (0.06 to 0.1lb. active) per acre.

**Restrictions:**

Do not apply more than 6.4 ounces (0.1 lb. active) per acre per treatment. Do not make more than 3 applications in a crop year. Maintain a minimum of 21 days between Brigade 2EC treatments.

Do not apply Brigade 2EC or allow it to drift to blooming crops or weeds while bees are actively visiting the treated area.

Low humidity and high temperatures increases the evaporation rate of spray droplets and, therefore, the likelihood of increased spray drift to aquatic areas. Avoid spraying during conditions of low humidity and/or high temperature. Do not make aerial or ground applications during temperature inversions.

Do not make aerial or ground applications to carrots grown for seed if heavy rainfall is imminent.

Do not apply by ground equipment within 25 feet, or by air within 150 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries, drainage ditches, and commercial fish farm pond. Increase the buffer zone to 450 feet when ultra low volume (ULV) application is made.

Do not apply through chemigation.

### Parsley Grown for Seed

**General:** Apply Brigade 2EC at the rate of 3.9 to 6.4 ounces (0.06 to 0.1 lb. active) per acre. Apply in a minimum of 8 gallons of water per acre by air or in a minimum of 20 gallons of water by ground.

**Crop/Site:** Parsley grown for seed.

**Target Pests:** Aphids, Lygus Bugs, and Spider Mites

**Application timing:** Brigade 2EC may be used only in the pre-bloom or post-bloom period. Bees, used for pollination, should not be introduced into the field within 5 days of the pre-bloom application. Bees, used for pollination, must be removed from the field before a post-bloom application is made.

Make aerial or ground applications when the wind velocity favors on target product disposition (approximately 3 to 10 MPH). Do not apply when wind velocity exceeds 15 MPH.

**Rate:** Use 3.9 to 6.4 ounces (0.06 to 0.1lb. active) per acre.

**Restrictions:**

Do not apply more than 6.4 ounces (0.1 lb. active) per acre per treatment. Do not make more than 3 applications in a crop year. Maintain a minimum of 21 days between Brigade 2EC treatments.

Do not apply Brigade 2EC or allow it to drift to blooming crops or weeds while bees are actively visiting the treated area.

Low humidity and high temperatures increases the evaporation rate of spray droplets and, therefore, the likelihood of increased spray drift to aquatic areas. Avoid spraying during conditions of low humidity and/or high temperature. Do not make aerial or ground applications during temperature inversions.

Do not make aerial or ground applications to Parsely grown for seed if heavy rainfall is imminent.

Do not apply by ground equipment within 25 feet, or by air within 150 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries, drainage ditches, and commercial fish farm pond. Increase the buffer zone to 450 feet when ultra low volume (ULV) application is made.

Do not apply through chemigation.

## SPECIAL CARROTS/PARSLEY USE RESTRICTIONS

The pesticide applicator, the producer of Carrots/Parsley seed and the seed conditioner must be aware that use of this product according to this labeling is deemed a non-feed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use on Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator should provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, should provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed. This restriction pertains to, but not limited to, green chop, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading.

*"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies"*

## **Dealers Should Sell in Original Packages Only.**

### **Conditions of Sale and Limitation of Warranty and Liability:**

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. EXCEPT AS WARRANTED BY THIS LABEL, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use.

To the extent consistent with applicable law FMC or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

**This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.**

**FMC**, Brigade, U-Turn—trademarks of FMC Corporation  
© 2007 FMC Corporation - All rights reserved.