



Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

ASSAIL[®] 70WP INSECTICIDE

FOR USE ON ALFALFA GROWN FOR SEED

This label is valid until December 31, 2012 or until otherwise amended, withdrawn, cancelled, or suspended

ACTIVE INGREDIENT: acetamiprid	
(E)- N ¹ -[(6-chloro-3-pyridyl)methyl]-N ² -cyano-N ¹ -methyl acetamidine.....	70.0% by wt.
OTHER INGREDIENTS:	30.0% by wt.
TOTAL	100.0%

EPA Reg. No. 8033-23

EPA SLN No. OR - 070017

ENVIRONMENTAL HAZARDS:

This product is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not contaminate water used for irrigation or domestic purposes.

Pollinator Protection Requirements: This product is toxic to bees exposed to direct treatment. Do not apply this product to blooming alfalfa grown for seed while bees are actively visiting treatment area. When alfalfa grown for seed is blooming, only apply this product between late evening and early morning when bees are not present.

Pollinator Protection Requirements (Umatilla County only): This product is toxic to bees exposed to direct treatment. Do not apply this product to blooming alfalfa grown for seed while bees are actively visiting the treatment area. When alfalfa grown for seed is blooming apply this product in late evening only (between 6 PM and midnight).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This supplemental label and the federally registered label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this supplemental label and the main EPA registered label.

Spray volume: Apply in a minimum finished spray volume of 20 gallons per acre by ground and 10 gallons per acre by air. To achieve optimum pest control, it is important to obtain thorough and uniform spray coverage.

For use under this SLN label, do not apply this product through any type of irrigation system.

USE	RATE/ACRE	SPECIFIC DIRECTIONS
Lygus Bugs	1.1 – 1.7 oz (0.05 – 0.075 lb ai)	Begin application when treatment thresholds have been reached. Use the high rate under heavy insect pressure and for longer residual control. Do not apply ASSAIL 70 WP while bees are actively visiting the treated area.

RESISTANCE MANAGEMENT:

Acetamiprid is the active ingredient in ASSAIL® 70WP Insecticide. It is a member of a class of chemicals known as neonicotinoids. Rotating ASSAIL® 70WP Insecticide with pesticides with different modes of action may delay or prevent development of insecticide resistance. The use of ASSAIL® 70WP Insecticide should conform to resistance management strategies established for the use area. Consult your agricultural advisor, university contact or extension service for recommended pest management practices for your area. Use recommended integrated pest management practices so that you are not relying solely on chemical control in your crop production.

SPECIAL CROP USE RESTRICTIONS

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator should provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, should provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Assail® is a registered trademark of Nippon Soda Co., Ltd.

Nippon Soda Co., Ltd.; Shin-Ohtemachi Bldg.; 2-1,2-Chome Ohtemachi; Chiyoda-ku; Tokyo; 100-8165; Japan