



Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)
<http://www.bayercropscienceus.com>

RELY® 200 Herbicide
For Weed Control in Grass Grown for Seed
Production Only

EPA Reg. No. 264-660
SLN No. OR-080023

24(c) Supplemental Label

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON

This label and the federal label for this product must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions and precautions on this supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

THIS LABEL IS VALID UNTIL DECEMBER 31, 2013 OR UNTIL OTHERWISE AMENDED, WITHDRAWN, CANCELED, OR SUSPENDED.

Bayer CropScience intends that pursuant to this FIFRA Section 24(c) label, this product (Rely 200 Herbicide) be distributed only to those end users who agree in writing in advance of use to the terms and conditions of Bayer CropScience relating to the use of Rely 200 Herbicide for this end use. Such terms and conditions include a waiver and release from all liability and indemnification of Bayer CropScience by the user and/or grower for failure to perform and/or crop damage from the use of Rely 200 Herbicide on grass grown for seed production only.

If the preceding terms and conditions are unacceptable, do not open the product. Return the unopened Rely 200 Herbicide immediately.

This product, when used on grass grown for seed production may lead to crop injury, loss, or damage. Because of the risk of failure to perform or crop damage, all such use is at the user and/or grower's risk. Bayer CropScience recommends that the user and/or grower test this product in order to determine its suitability for such intended use. Bayer CropScience makes this product available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower, outweigh the potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from Rely 200 Herbicide, the severity and type of weed infestation, the cost of alternative weed controls, and other factors. Bayer CropScience will not be responsible for crop injury from tank mixtures of Rely 200 Herbicide with other herbicides or adjuvants to grasses grown for seed production.

RELY® 200 HERBICIDE

ACTIVE INGREDIENT: glufosinate-ammonium*	18.19%**
OTHER INGREDIENTS:	81.81%
TOTAL	100.00%

* CAS Number 77182-82-2, Protected by U.S. Patent No. 4,400,196

**Equivalent to 1.67 pound of active ingredient per U.S. gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING — AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

ENVIRONMENTAL HAZARDS

Do not apply directly to water or to areas where surface water is present. Do not apply to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is toxic to vascular plants and should be used strictly in accordance with the drift and run-off precautions on this supplemental label and the EPA-registered label in order to minimize off-site exposures.

Under some conditions, this product may have a potential to run-off to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no till, limited till and contour plowing; these methods also reduce pesticide run-off. Use of vegetation filter strips along rivers, creeks, streams, wetlands, etc. or on the downhill side of fields where run-off could occur to minimize water run-off is recommended.

DIRECTIONS FOR USE

Do not use this product until you have read the entire label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

GENERAL INFORMATION FOR WEED CONTROL IN GRASS GROWN FOR SEED PRODUCTION:

For use on grasses grown for seed production, such as, perennial ryegrass, tall fescue or bentgrass.

Tolerance of grasses to Rely 200 Herbicide is species dependent. Species tolerance in descending order is: 1) perennial ryegrass; 2) tall fescue; 3) bentgrass; 4) fine fescue; and 5) *Poa* species. For example, perennial ryegrass tends to be more tolerant to Rely 200 Herbicide than the *Poa* species.

Directed shielded sprays are suggested in fine *fescue* species, orchard grass and *poa* species grown for seed production. Broadcast applications made after first node development can increase the potential for crop injury and yield loss.

1. **DO NOT** apply Rely 200 Herbicide when grass grown for seed production is stressed due to drought, heat, frost, flooding, poor fertility, diseases, insects, or other reason.
2. Stunting of grass grown for seed production may occur following application and, in some instance, seed yields may be adversely affected.
3. **DO NOT** broadcast apply Rely 200 Herbicide on fine fescue, orchardgrass, or *Poa* species grown for seed.

WEEDS CONTROLLED OR SUPPRESSED:

Poa annua

Poa trivialis

Manna Grass

Bromus species (suppression only)

TIMING OF APPLICATION:

For best weed control and crop safety, spray when crop initiates spring regrowth. Apply when grass is in the 4-6 tiller growth stage. **DO NOT** apply to new seedlings before the third tiller.

METHOD OF APPLICATION:

Broadcast Application

Apply 1.5 to 1.8 pints of Rely 200 Herbicide per acre in a minimum of 20 gallons per acre of water at 30 – 40 psi.

Hooded or Shielded Directed Spray

To avoid excessive crop phytotoxicity, use a hooded or shielded sprayer. Apply by directing spray between rows and using shielded directed sprayers to prevent spray contact with crop plants. Adjust shields to prevent spray from contacting the crop.

Apply 2.4 quarts per acre with shielded directed spray when the weeds are less than 8 inches tall. Apply 3.6 quarts per acre with shielded directed spray when the weeds are 8 inches or taller.

RESTRICTIONS TO THE DIRECTIONS FOR USE:

1. **DO NOT** graze in treated areas for one year (365 days) following application.
2. **DO NOT** apply this product aerially.
3. **DO NOT** apply this product through any type of irrigation system.
4. **DO NOT** allow product to drift off the intended field of grass grown for seed production. Drift control is the responsibility of the applicator. Refer to local state laws, regulations, and guidelines for proper application to avoid off-target movement.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at www.bayercropscienceus.com

*As with any crop-protection product, always read and follow label directions.
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*

08/01/08