



Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

PRINCEP® CALIBER 90®

**EPA Reg. No. 100-603
EPA SLN No. OR-080038**

This label valid until December 31, 2014 or until otherwise amended, withdrawn, cancelled, or suspended.

For Control Of Weeds In Sweet Cherries In Oregon

Active Ingredient:	
Simazine: 2-chloro-4,6-bis(ethylamino)-s-triazine	90%
Inert Ingredients:	10%
Total:	100%

Keep Out of Reach of Children

CAUTION

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Application Directions

Apply the spray to the orchard or vineyard floor, avoiding contact with fruit, foliage, or stems. Recommended rates are based on broadcast treatment. For band applications or spot applications around fruit or nut trees, reduce the broadcast rate of this product and water per acre in proportion to the area actually sprayed.

To control annual weeds prior to emergence, apply 1.75-4.4 lbs. of Princep Caliber 90 in a minimum of 20 gals. of water per acre in late fall to early spring prior to weed emergence.

To control emerged weeds at the time of herbicide treatment, refer to Princep Caliber 90 label for appropriate tank mix partners. Observe all directions, limitations and precautions on the tank mixture product label when used in tank mix combination with Princep Caliber 90.

When retreating in subsequent seasons, especially if preemergence weed populations are low, reduce the dosage to two to three pounds maximum per acre.

Restrictions:

DO NOT apply on gravelly, sand or loamy sand soil. **DO NOT** apply to orchards where trees have been established for less than two years.

Chemigation: **DO NOT** apply this product through any type of irrigation system.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Simazine is a chemical which can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Simazine has been found in ground water as a result of its use as a herbicide. Users of this product are advised not to apply simazine where the water table (ground water) is close to the surface and where the soils are very permeable, i.e., well drained soils such as loamy sands. Users are advised to consult with their local agricultural agencies to obtain information on the location of ground water and the type of soil in their area.

This pesticide is toxic to aquatic invertebrates. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Consult the federal label for additional restrictions and precautions to protect aquatic organisms. Do not contaminate water when disposing of equipment wash water.

Product may not be mixed/loaded, or used within 50 feet of all wells, including abandoned wells, drainage wells, and sinkholes.

Product must not be mixed or loaded within 50 feet of intermittent streams or rivers, natural or impounded lakes and reservoirs. Product must not be applied within 66 feet of the points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet

of natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66-foot buffer or setback from runoff points must be planted to crop or seeded with grass or other suitable crop.

Consult the federal label for additional restrictions on mixing, loading, applying, rinsing or washing of this product.

Princep[®] and Caliber 90[®] trademarks of a Syngenta Group Company

©2008 Syngenta

24(c) registrant:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

OR0603108BA1108