

# RESTRICTED USE PESTICIDE

DUE TO ACUTE ORAL, DERMAL AND INHALATION TOXICITY

For retail sale to and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.



**Bayer CropScience**

**Bayer CropScience LP**  
P.O. Box 12014, 2 T.W. Alexander Drive  
Research Triangle Park, North Carolina 27709  
1-866-99BAYER (1-866-992-2937)

**MOCAP® EC Nematicide-Insecticide**

**For Use on Easter lilies grown for commercial bulb production**

**EPA Reg. No. 264-458**

**EPA SLN. No. OR-090003**

**24(c) Supplemental Label**

## **FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

### **(Curry County Only)**

This label and the federal label for this product must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, and precautions on this supplemental label and the main EPA-registered label. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**THIS LABEL IS VALID UNTIL DECEMBER 31, 2014 OR UNTIL OTHERWISE AMENDED, WITHDRAWN, CANCELED, OR SUSPENDED.**

## **MOCAP® EC Nematicide-Insecticide**



**DANGER POISON**  
**PELIGRO**



### **PRECAUTIONARY STATEMENTS**

#### **HAZARD TO HUMANS AND DOMESTIC ANIMALS**

#### **DANGER**

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get into eyes, on skin, or on clothing. Do not breathe fumes or spray mist. Do not contaminate feed or food.

**SYMPTOMS OF POISONING:** Nausea, vomiting, abdominal cramps, diarrhea, excessive salivation, headache, dizziness, weakness, blurring or dimness of vision, excessive tearing, loss of muscular coordination, slurring of speech, twitching of muscles (especially of tongue and eyelids), mental confusion, disorientation, drowsiness, difficulty in breathing (chest tightness), runny nose.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms (fish and invertebrates) and extremely toxic to birds. Cover or disc spill areas. Birds in treated areas may be killed. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment wash waters.

Do not apply within 140 feet of inland freshwater habitats.

Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Drift and runoff may be hazardous to aquatic organisms in neighboring areas.

## DIRECTIONS FOR USE

Crop	PEST	RATE (QUARTS PER ACRE)	APPLICATION DIRECTIONS
Easter lilies grown for commercial bulb production	nematodes	2 - 4 (on treated area)  Use lower rate if tank mixing with another approved nematicide/insecticide	Apply Mocap EC as a low-pressure (below 30 PSI) even spray over the planted bulbs in the furrow. Mocap should be diluted in 20 or more gallons of water per acre to achieve good coverage.  Immediately cover treated area with soil 2-4 inches of soil.  For best results final hilling of treated bulbs should be done as soon as possible.

## RESTRICTIONS AND PRECAUTIONS

- Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks, and recreation areas, non-target crops, aquatic and wetland areas, woodlands, pastures, rangelands or animals.
- Do not make more than one application to the same field per crop season. Do not apply by any method of application not stated on this label.
- For application only by motorized ground boom equipment. Do not apply through irrigation systems. Do not apply with liquid backpack sprayers, low-pressure handwand liquid equipment, sprinkler cans or hand-held measuring containers, or by hand-dipping of Lily bulbs. Do not apply by air.
- Mixer/loader/applicators must wear Personal Protective Equipment (PPE) specified on the main EPA- registered label. In addition, mixers and loaders must use a mechanical transfer system as described on the main EPA-registered label. Applicators using motorized ground equipment must use an enclosed cab as described on the main EPA-registered label.
- Post "Danger, Skull and Crossbones" warning signs at all entrances to treated areas for 72 hours.
- To mitigate risks to fish and aquatic organisms, a 140-ft. buffer must be maintained around streams, ponds, lakes, rivers, springs, swamps, bogs, marshes, or irrigation canals containing water year-round when making applications of MOCAP® EC under this registration.
- To protect endangered avian species, do not use the product in areas of known species occurrence and during the breeding season in those areas.

You are advised that the use of this product in certain portions of California, Oregon and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et. Al. v. EPA, CO1-0132C, (E.D.WA). For further information please refer to the following EPA website: <http://www.epa.gov/espp/litstatus/wtc/maps.htm>.

You may also refer to the Oregon Department of Agriculture web site at: <http://egov.oregon.gov/ODA/PEST/buffers.shtml>.

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577  
For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at [www.bayercropscienceus.com](http://www.bayercropscienceus.com)

As with any crop-protection product, always read and follow label directions.  
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

