

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Stinger[®]

EPA Reg. No. 62719-73

EPA 24(c) Special Local Need Registration SLN No. OR-970024
For Distribution and Use Only in the State of Oregon

Expiration Date: This label is valid until December 31, 2012 or until otherwise amended, withdrawn, canceled, or suspended.

Control of Common Vetch, Austrian Pea, Common Groundsel, and Other Sensitive Broadleaf Weeds Only in Meadowfoam (*Limnanthes* spp.) Grown for Seed Production

Special Conditions and Risks of Use

Dow AgroSciences Intends That This Section 24(c) Labeling be Used Only by Members of the OMG Meadowfoam Oil Seed Growers Cooperative Inc.

USE OF Stinger[®] herbicide (THE "PRODUCT") ON MEADOWFOAM (THE "CROP") MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE SPECIAL CONDITIONS AND RISKS OF USE BEFORE USING THE PRODUCT ON THE CROP.

Dow AgroSciences and the OMG Meadowfoam Oil Seed Growers Cooperative Inc. make the Product available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury or loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls, and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this Supplemental Labeling, you acknowledge and accept that:

- (1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Dow AgroSciences and the OMG Meadowfoam Oil Seed Growers Cooperative Inc. do not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental Labeling;
- (3) Dow AgroSciences and the OMG Meadowfoam Oil Seed Growers Cooperative Inc. do not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, express or implied, including any implied warranties of fitness for a particular purpose or merchantability;
- (4) Dow AgroSciences and the OMG Meadowfoam Oil Seed Growers Cooperative Inc. disclaim all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) These Special Conditions and Risks of Use supersede any contrary representations or recommendations by Dow AgroSciences and the OMG Meadowfoam Oil Seed Growers Cooperative Inc., its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Special Conditions and Risks of Use are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container. These Special Conditions and Risks of Use are required by Dow AgroSciences and the OMG Meadowfoam Oil Seed Growers Cooperative Inc. and not specified by the U.S. EPA or the State of Oregon.

- This label and the federal label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions and precautions on this supplemental label and the main EPA-registered label.

Active Ingredient:

 clopypalid: 3,6-dichloro-2-pyridinecarboxylic acid, monoethanolamine salt 40.9%
 Other Ingredients 59.1%
 Total 100.0%

Acid Equivalent: clopypalid: 3,6-dichloro-2-pyridinecarboxylic acid - 31% (3 lb/gal)

Keep Out of Reach of Children

CAUTION

Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not contaminate water used for irrigation or domestic purposes.

Clopypalid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate groundwater which may be used for irrigation or drinking purposes. Users are advised not to apply clopypalid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an underlying aquifer is shallow, or to soils containing sinkholes over limestone bedrock, severely fractured surfaces, and substrates which would allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Refer to the product label for General Use Precautions, Mixing and Application instructions, and a complete list of weeds controlled or suppressed.

Stinger may be used to control common vetch, Austrian pea, common groundsel, and other sensitive broadleaf weeds in meadowfoam grown for seed production. Stinger may be applied as a broadcast application by ground equipment to emerged broadleaf weeds anytime when meadowfoam plants are 1 to 2 leaf to 4 to 6 inches in diameter. Use 1/4 to 2/3 pint (0.09375 to 0.25 lb ae/A) in a minimum of 10 gallons of spray solution per acre. Generally, lower labeled application rates will be satisfactory for young, succulent growth of sensitive weed species. For less sensitive species, perennials, and under conditions where control is more difficult (plant stress conditions such as drought or extreme temperatures, dense weed stands, and/or larger weeds), the higher rates will be needed. Stinger may be tank mixed with Select 2EC (clethodim) for grass weed control. Include a nonionic surfactant to optimize grass weed control. For tank mixing with Select 2EC (clethodim), follow directions provided on OR-940001. **Applications after March 1 or on plants larger than 8 inches in diameter at the 1/3 to 2/3 pint rate may result in crop yield loss.**

Use Precautions:

- Extreme growing conditions such as drought or near freezing temperatures prior to, at, and following time of application may reduce weed control and increase the risk of crop injury at all stages of growth.
- Avoid spray drift. Follow guidelines in the General Information section of the product label.
- Follow rotational crop restrictions and other use precautions and limitations on the product label for Stinger.

Use Restrictions:

- Total usage of Stinger through broadcast foliar treatment must not exceed 1 1/3 pints per acre per annual growing season.
- Do not exceed 1 1/3 pints per acre in a 12-month period.
- Do not apply within 6 to 8 hours of expected rainfall or irrigation.
- Do not apply by aircraft.
- **Chemigation:** Do not apply this product through any type of irrigation system.

Special Crop Use Restrictions:

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use on Crops Grown for Seed. If the applicator of this pesticide is not the producer, the applicator should provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, should provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

“This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies.”

*Trademark of Dow AgroSciences LLC

R043-037

Accepted / /

Replaces R043-002