

GB BIOSCIENCES CORPORATION

Syngenta Crop Protection, Inc.
(AGENT FOR GB BIOSCIENCES)
P. O. Box 18300
Greensboro, NC 27419-8300
Telephone: 336-632-6000



Section 24(c) Special Local Need Label

REGISTRATION FOR SPECIAL LOCAL NEED FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

BRAVO ULTREX®

EPA Reg. No. 50534-201
EPA SLN No. OR-990037

For Control of Rust and Septoria Leafspot on Mint

<hr/>	
ACTIVE INGREDIENT	
Chlorothalonil (tetrachloroisophthalonitrile)	82.5%
OTHER INGREDIENTS	17.5%
TOTAL	100.0%
(82.5% Water Dispersible Granules)	

This label valid until December 31, 2012 or until otherwise amended, withdrawn, canceled, or suspended.

KEEP OUT OF REACH OF CHILDREN

DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates and wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water.

This product must not be applied within 150 feet (for aerial and airblast applications) or 25 feet (for ground applications) of marine/estuarine water bodies unless there is an untreated buffer area of that width between the area to be treated and water body.

ENDANGERED SPECIES

Certain uses of Bravo Ultrex may be restricted by a U.S. District Court final order. You may refer to the Oregon Department of Agriculture web site at <http://egov.oregon.gov/ODA/PEST/buffers.shtml> or to the U.S. EPA web site at <http://www.epa.gov/espp/wtc/maps.htm#wtc6> or <http://www.epa.gov/espp/wtc/uselimitation.htm> for information regarding pesticides that may be impacted by the final order.

DIRECTIONS FOR USE

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This product may be applied through sprinkler irrigation systems.

RECOMMENDATIONS FOR CONTROL OF RUST AND SEPTORIA LEAFSPOT ON MINT

CROP	DISEASE	RATE PER ACRE	APPLICATION DIRECTIONS
Mint	Rust and Septoria Leafspot	1.25 pounds	Use in sufficient water to obtain adequate coverage, normally 20 to 150 gallons per acre for dilute sprays and 5 to 10 gallons per acre for concentrate ground and aircraft applications. Begin applications when emerging plants are 4-8 inches high. Repeat at 7 to 10 day intervals or as necessary to maintain control. It is recommended that BRAVO ULTREX be used in conjunction with good cultural practices such as flaming or clean plowing for control of Rust and Septoria Leafspot.

RESTRICTIONS/PRECAUTIONS

- DO NOT apply more than 3 times per season.
- DO NOT apply within 80 days of harvest.
- DO NOT feed fresh or extracted mint hay from treated fields to livestock.
- DO NOT apply more than 3.6 lbs. Bravo Ultrex (3 lbs. a.i.) per acre during each growing season.
- DO NOT apply this product in a way that will contact workers or other persons, or pets either directly or through drift.
- Only protected handlers may be in the area during applications. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Section 24(c) Registrant:
G.B. Biosciences, Inc.
Greensboro, NC 27419

EPA SLN No. OR-990037

Label Code: OR0201059CA0108