

## PRODUCT INFORMATION

### GB BIOSCIENCES CORPORATION

Syngenta Crop Protection, Inc.  
(AGENT FOR GB BIOSCIENCES)  
P. O. Box 18300  
Greensboro, NC 27419-8300  
Telephone: 336-632-6000

REGISTRATION FOR SPECIAL LOCAL NEED  
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

### DACONIL ULTREX®

EPA Reg. No. 50534-202  
EPA SLN No. WA-000014

APPLICATION IN FOREST TREE NURSERY AND GREENHOUSE MANAGEMENT FOR CONTROL  
OF *BOTRYTIS* SPP.

#### DIRECTIONS FOR USE:

SPECIES	DISEASES CONTROLLED	APPLICATION DIRECTIONS
Conifer Seedlings (includes Douglas fir, Noble fir, Western hemlock, Lodgepole pine, and Ponderosa pine)	<i>Botrytis</i> spp.	<ul style="list-style-type: none"><li>Apply DACONIL ULTREX at the rate of 1.4 – 2.5 lbs. per 100 gallons of water.</li><li>Begin application when seedlings are 4 inches tall or when disease threatens.</li><li>Repeat applications at 7 to 14-day intervals as required to maintain disease control.</li></ul>

#### **Personal Protective Equipment:**

DACONIL ULTREX may be used in greenhouses. Applicators and other handlers must wear long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material – Category A (e.g., barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride (PVC) or viton, shoes plus socks, protective eyewear and a respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter.

#### **Restrictions/Precautions:**

NOTE: Enter treated greenhouse only after spray has settled. Wear protective clothing to avoid skin contact in treated greenhouses until spray has dried.

DO NOT use mistblowers or high pressure spray equipment when making applications of DACONIL ULTREX in greenhouses.

Use of DACONIL ULTREX is recommended for disease control on the species listed in the above table, and on the product label. Use of DACONIL ULTREX is not recommended for species that are not listed.

DO NOT apply this product through any type of irrigation system.

This product is toxic to aquatic invertebrates and wildlife. DO NOT apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment wash water or rinsate. DACONIL ULTREX should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service or US Fish & Wildlife Service for information on listed threatened or endangered species. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

This chemical is known to leach through soil into groundwater under certain conditions as a result of labeled use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This chemical can contaminate surface water through spray drift. Under some conditions, it may be a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes towards adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered label.

This label must be in the possession of the user at the time of pesticide application.

**This label for DACONIL ULTREX expires and must not be distributed or used in accordance with this SLN registration after December 31, 2007.**

DACONIL ULTREX® is a trademark of Syngenta Crop Protection, Inc.

24(c) Registrant: GB Biosciences Corp.  
Greensboro, NC 27419-8300

EPA SLN No. WA-000014