



INTRA

**Section 24(c) Special Local Need Label**

**REGISTRATION FOR SPECIAL LOCAL NEED  
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON**

**DACONIL ULTREX®**

**EPA REG. NO. 50534-202-100  
EPA SLN NO. WA-000014b**

**APPLICATION IN FOREST TREE NURSERY AND GREENHOUSE MANAGEMENT  
FOR CONTROL OF *BOTRYTIS* SPP.**

---

**DIRECTIONS FOR USE**

---

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered DACONIL ULTREX label.

This label must be in the possession of the user at the time of application.

<b>SPECIES</b>	<b>DISEASES CONTROLLED</b>	<b>APPLICATION DIRECTIONS</b>
Conifer Seedlings (includes Douglas fir, Noble fir, Western hemlock, Lodgepole pine, and Ponderosa pine)	<i>Botrytis</i> spp.	<ul style="list-style-type: none"><li>• Apply DACONIL ULTREX at the rate of 1.4 – 2.5 lbs. per 100 gallons of water.</li><li>• Begin application when seedlings are 4 inches tall or when disease threatens.</li><li>• Repeat applications at 7 to 14-day intervals as required to maintain disease control.</li><li>• DACONIL ULTREX may be used in greenhouses.</li></ul>



**Restrictions/Precautions:**

DO NOT use mistblowers or high pressure spray equipment when making applications of DACONIL ULTREX in greenhouses.

DO NOT apply more than 20 pounds Daconil Ultrex per acre during each growing season.

Use of DACONIL ULTREX is recommended for disease control on the species listed in the above table, and on the product label. Use of DACONIL ULTREX is not recommended for species that are not listed.

DO NOT apply this product through any type of irrigation system.

This pesticide is toxic to aquatic invertebrates and wildlife. DACONIL ULTREX should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/EnvResources/EndangSpecies.htm>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

Certain uses of chlorothalonil may be restricted by a U.S. District Court final order. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/EnvResources/Buffers.htm> for information regarding pesticides that are impacted by the final order.

WSDA Container Disposal Guidance: Completely empty the contents of the pesticide container into application equipment, and apply to a labeled crop or site. The empty container may be disposed of in a sanitary landfill. Burning is not a legal method of container disposal in Washington.

**This label for DACONIL ULTREX expires and must not be distributed or used in accordance with this SLN registration after December 31, 2011.**

DACONIL ULTREX® is a trademark of Syngenta Crop Protection, Inc.

24(c) Sub-Registrant:  
Syngenta Crop Protection, Inc.  
P. O. Box 18300  
Greensboro, NC 27419-8300

EPA SLN No.: WA-000014b

WA0202043CA0707