

Section 24(c) Supplemental Label

Saber Herbicide (2,4-D) is a state restricted use pesticide when distributed in counties located east of the crest of the Cascade Mountains, and is to be distributed only by licensed pesticide dealers. Only certified applicators or persons under the direct supervision of a certified applicator may apply Saber Herbicide (2,4-D) when distributed in counties located east of the crest of the Cascade Mountains.

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

Saber Herbicide

EPA Reg. No. 34704-803

EPA SLN No. WA-010009

DIRECTIONS FOR USE

- IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.
- THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION.
- FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

High bush blueberries (Vegetative strip between rows) / Broadleaf weeds (such as Broadleaf dock, Canada thistle, Dandelion, Spotted catsear):

Apply 3 pints of Saber Herbicide (1.4 lb ae) in 50 gallons of water per acre using ground equipment only. The first application should be made in the spring as a direct, shielded spray to the vegetative strip between the blueberry rows, avoiding contact with the blueberry plant foliage. For optimum herbicide performance, do not mow between rows for at least 7 days before or after the application. If necessary, a second application of Saber Herbicide at 3 pints (1.4 lb ae) in 50 gallons of water per acre may be made after harvest to control regrowth of broadleaf weeds.

Restrictions / Precautions:

- Do not enter or allow worker entry during the restricted entry interval (REI) of 48 hours.
- A maximum of 3 pints (1.4 lb ae) of Saber Herbicide can be applied per acre per application.
- Do not make more than two applications of Saber Herbicide per acre per year.
- The Preharvest interval (PHI) for Saber Herbicide is 30 days.
- Do not apply Saber Herbicide directly to blueberry plants or injury may result. To avoid injury to blueberry plants, do not apply if the temperature is 65 degrees or higher.
- For use under this SLN label do not apply Saber Herbicide through any type of irrigation system.

- Do not apply Saber Herbicide by aerial application.
- Avoid applications of Saber Herbicide when winds are blowing toward nearby susceptible plants or when temperature inversions are expected. Do not make direct application or allow spray drift to contact susceptible plants since very small quantities of this herbicide can cause severe injury in the growing or dormant period. Plants contacted may be killed or suffer significant injury resulting in grade or yield losses. Soil residue of this product may temporarily inhibit seed germination and plant growth. Do not apply in or near greenhouses.
- When using Saber Herbicide in Eastern Washington, refer to WSDA restrictions on the use of phenoxy herbicides.
- This pesticide is toxic to aquatic invertebrates. Saber Herbicide should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/natresources/EndangSpecies.aspx>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

WSDA Container Disposal Guidance:

Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple or Pressure rinse the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.aspx>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

This label for Saber Herbicide expires and must not be distributed in or used in accordance with this SLN registration after December 31, 2014.

**24[c] Registrant:
Loveland Products Inc.
P.O. Box 1286
Greeley, CO 80632-1286**

Rev. 05/05/2009