



**WARRIOR**

Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF  
WASHINGTON**

**RESTRICTED USE PESTICIDE  
Due to Toxicity in Fish And Aquatic Organism**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

**WARRIOR<sup>®</sup> Insecticide with Zeon Technology**

**EPA REG. NO. 100-1112  
EPA SLN NO. WA-040010**

**For Control of Lygus Bug on Vegetable Seed Crops**

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL  
MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Warrior Insecticide with Zeon Technology label.

This label must be in the possession of the user at the time of application.

USE DIRECTIONS			
CROP	Target Pests	RATE Fl. Oz./Acre (lb ai/A)	COMMENTS
Seed Dill Seed Carrot Seed Parsley Seed Parsnip	Lygus Bug Spp. <sup>1</sup>	2.56-3.84 (0.02-0.03)	<ul style="list-style-type: none"> <li>■ Apply with ground or air equipment using sufficient water to obtain full coverage of foliage. Apply in a minimum of 2 gallons per acre by air or 10 gallons per acre by ground. When foliage is dense and/or pest populations are high 5-10 gallons per acre by air or 20 gallons per acre by ground and higher use rates are recommended. Use higher rates for increased residual control, such as prior to crop blooming. If application is made during bloom, use the lower rate of application.</li> <li>■ This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or broadleaf weeds. Do not apply the 3.84 oz/acre (0.03 lb ai/acre) rate of this product to blooming seed crops. Apply the 3.84 oz/acre (0.03 lb ai/acre) rate as a <b>pre-bloom or post-bloom spray only</b>. Applications of the 2.56 oz/acre (0.02 lb ai/acre) rate of this product to blooming seed crops must be timed to coincide with periods of minimum bee activity between late evening and midnight. Be aware of bee hazard resulting from a cool evening and/or morning dew. Avoid direct application to bee shelters/hives. It may be advisable to remove bee shelters/hives during and for 2-3 days following application.</li> <li>■ Do not apply more than 0.12 lb ai (0.96 pints) per acre per season.</li> <li>■ If Warrior is used as a prebloom spray it is not advisable to use during bloom to reduce potential for the development of insecticide resistance.</li> <li>■ <sup>1</sup>See resistance statement under General Directions for use on the EPA-registered label.</li> </ul>

**Environmental Hazards**

This pesticide is extremely toxic to fish and aquatic organisms and toxic to wildlife. Warrior Insecticide with Zeon Technology should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/EnvResources/EndangSpecies.htm>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

Do not apply by ground within 25 ft., or by air within 150 ft. of lakes, reservoirs, rivers, permanent streams, marshes, pot holes, or natural ponds, estuaries, and commercial fish farm ponds. Increase the buffer zone to 450 ft. when ultra-low volume (ULV) application is made.

**RESTRICTIONS:**

1. All vegetable seed screenings shall be disposed of in such a way that they cannot be distributed or used for food or feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the WSDA forthwith upon request. Disposal records shall consist of documentation from a controlled dumpsite, incinerator, or other equivalent disposal site and shall show the lot numbers, amount of material disposed of, its grower(s), and the date of disposal.
2. No portion of the vegetable seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
3. Vegetable seed shall bear a tag or container label which forbids use of the seed for human consumption or animal feed.
4. Vegetable seed may not be distributed for human consumption or animal feed.

**Ground Applications:**

To protect endangered aquatic species, use one of the following options:

1. Apply only when there is sustained wind away from fish-bearing waters,
2. Leave a 25 foot untreated buffer between treatment area and fish-bearing waters, or
3. Use low pressure nozzles according to manufacturer's specifications that produce only coarse or very coarse droplets.

**Air Applications:**

To protect endangered aquatic species, use one of the following options:

1. Apply only when there is sustained wind away from fish-bearing waters, or
2. Leave a 150 foot untreated buffer between treatment area and fish-bearing waters.

**WSDA Container Disposal Guidance:** Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the internet from WSU at <http://pep.wsu.edu/waste/wd.html> or from WSDA at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.htm>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

**Chemigation:** For use under this SLN label do not apply this product through any type of irrigation system.

This label for Warrior Insecticide with Zeon Technology label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2009.

24(c) registrant:  
Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419-8300

EPA SLN No.: WA-040010

Label Code: WA1112057AA0404

Word – WAWarriorVeggieSeedCropsSLNLb14-20-04