

SUPPLEMENTAL LABELING

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

**EVEREST®
70% WATER DISPERSIBLE GRANULAR HERBICIDE**

**EPA Reg. No. 66330-49
EPA SLN No. WA-050008**

**For Application on Kentucky Bluegrass Grown For Seed (Only During the Year of Establishment) in the State of Washington
FIFRA §24(c) Special Local Need Registration**

DIRECTIONS FOR USE

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

Apply EVEREST to Kentucky bluegrass grown for seed (only during the year of establishment) for control of wild oats, windgrass, and other grass and broadleaf weeds at a rate of 0.6 ounce/acre, with a non-ionic surfactant at a rate of 0.25% v/v.

Recommended Rates for Kentucky Bluegrass Grown For Seed		
Grass Weeds	Rate	Notes
Wild Oats (<i>Avena fatua</i>)	0.6 oz/A	Control
Windgrass (<i>Apera spica-venti</i>)	0.6 oz/A	Control
Cheat (<i>Bromus secalinus</i>)	0.6 oz/A	Control with fall applications. Suppression with spring applications.
Ventenata (<i>Ventenata dubia</i>)	0.6 oz/A	Suppression
Broadleaf Weeds	Rate	Notes
Mustard Complex (Black, Blue, Tansy, Tumble, Wild)	0.6 oz/A	Control

GROUND APPLICATION

Apply in water using a spray volume of 5 to 10 gallons/acre (or 50 to 100 liters/hectare) at 30 to 50 PSI to ensure proper weed coverage. Flat fan nozzles of 80 or 110 degrees are recommended for optimum coverage. Do not use floodjet or controlled droplet application (CDA) equipment. Nozzles may be oriented 45 degrees forward to enhance crop penetration and to give better weed coverage.

AERIAL APPLICATION

Apply in water using a minimum spray volume of 3 gallons/acre (or 30 liters/hectare). For best results, particularly in dry conditions or where heavy weed infestations exist, use a minimum of 5 gallons/acre (or 50 liters/hectare). Use nozzles that provide 200 to 350 micron size droplets for best results and to insure uniform spray coverage. Aerial applications with EVEREST should be made with low drift nozzles at a maximum height of 10 feet above the crop and at a maximum pressure of 40 psi. Do not apply aerially when wind speed is greater than 10 mph. Do not allow spray to drift onto adjacent crops, as injury or loss may occur.

Refer to the *Aerial Drift Reduction Advisory Information* section of the federal label for additional information on how to reduce drift during aerial application.

RESTRICTIONS/PRECAUTIONS

To avoid adverse effects on endangered dicot plant species, the following measures will be required where endangered plant species occur in the counties listed in the table below:

State	County
Washington	Asotin Chelan Lincoln Spokane Whitman

For ground applications, the applicator must:

1. Apply when there is sustained wind away from native plant communities, OR
2. Use low-pressure nozzles according to manufacturer's specifications that produce only coarse or very coarse droplets, OR
3. Leave a 50 foot untreated buffer between the treatment and native plant communities.

For aerial applications, the applicator must:

1. Apply only when there is sustained wind away from native plant communities, OR
2. Leave a 350 foot untreated buffer between the treatment and native plant communities.

Do not apply more than 0.6 ounce/acre of EVEREST.

Do not make more than one postemergence application of EVEREST.

Do not use EVEREST in annual production systems of Kentucky bluegrass grown for seed.

For use under this SLN label do not apply EVEREST through any type of irrigation system.

Do not apply EVEREST to Kentucky bluegrass grown for seed in western Washington.

When applying EVEREST in a tank mix with other herbicides (e.g. 2,4-D, bromoxynil, dicamba, MCPA, sulfonyleurea herbicides) in eastern Washington, observe all applicable Washington State Department of Agriculture herbicide rules.

Under this SLN label, use of EVEREST is deemed a non-food use by the Washington Department of Agriculture and may be applied to Kentucky bluegrass seed fields only during the year of establishment.

Do not apply EVEREST within 1 year (365 days) of harvesting Kentucky bluegrass seed.

Do not graze livestock or harvest forage from treated Kentucky bluegrass seed fields within 1 year (365 days) of application.

WSDA CONTAINER DISPOSAL GUIDANCE

Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the internet from WSU at <http://pep.wsu.edu/waste/wd.html> or from WSDA at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.htm>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

ARVESTA CORPORATION'S WARRANTY DISCLAIMER FOR USE OF EVEREST ON KENTUCKY BLUEGRASS GROWN FOR SEED

EVEREST when used on Kentucky bluegrass grown for seed may lead to crop injury, loss, or damage. Arvesta Corporation recommends that the user and/or grower test EVEREST in order to determine its suitability for such intended use. Arvesta Corporation makes EVEREST available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower, outweigh the extent of potential injury associated with the use of this product. The decision to use or not to use EVEREST must be made by each individual EVEREST user and/or grower on the basis of possible crop injury from EVEREST, the severity of weed infestation, the cost of alternative weed controls, and other factors. Arvesta Corporation intends that because of the risk of crop damage that all such use is at the user's and/or grower's risk. Arvesta Corporation makes no warranty, express or implied, with respect to the suitability of EVEREST for use on Kentucky bluegrass grown for seed.

This label for EVEREST Herbicide expires and must not be distributed or used in accordance with this SLN registration after December 31, 2010.



ARVESTA CORPORATION
100 First Street, Suite 1700
San Francisco, CA 94105
www.arvesta.com