



**FOR DISTRIBUTION AND USE WITHIN THE STATE OF WASHINGTON FOR
CONTROL OF APPLE MAGGOT IN NON-AGRICULTURAL QUARANTINE
AND PEST FREE AREAS (INCLUDING RESIDENTIAL AREAS) UNDER
ORDER FOR APPLE MAGGOT AS SPECIFIED UNDER WAC 16-470**

TriStar[®] 30 SG Insecticide

EPA Reg. No. 8033-94-1001

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Follow all applicable directions, restrictions, and precautions on the EPA registered label.
- This labeling must be in the possession of the user at the time of pesticide application.
- For use under the SLN label do not apply through any type of irrigation system.

CROP

Apples, Crabapples, Pears, Ornamental Plants and Trees, and non-bearing fruit and nut trees (Non-bearing crops are perennial crops that will not produce a harvestable raw agricultural commodity during the season of application).

PESTS CONTROLLED

Apple Maggot

USE RATE

4 - 8 oz. of TriStar 30 SG Insecticide per application per acre. Use the high rate under heavy pest pressure. Product can be applied with water volume needed to provide thorough coverage.

METHOD OF APPLICATION

Applications should be started within 10 days after the first flies are detected on traps placed in host trees. Mix TriStar 30 SG Insecticide with sufficient water and apply as a foliar spray to obtain thorough and uniform spray coverage of the plants. Applications should be repeated every 14 days as long as flies are still being detected in traps and in accordance with local and state spray programs but not to exceed 4 times per year.

RESTRICTIONS

- **Do not apply more than 29 oz per acre per year.**
- Do not make more than 4 applications per year.
- Do not apply more than once every 12 days.
- Do not apply within 7 days of harvest (7 day PHI).
- This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively foraging within the treated area.
- This product is toxic to wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not contaminate water used for irrigation or domestic purposes.

WSDA CONTAINER DISPOSAL GUIDANCE

Do not reuse outer container. The empty container may be disposed of in a sanitary landfill. Burning is not a legal method of container disposal in Washington.

NOTE

This product is sold subject to the Conditions of Sale set forth on the container label.

This label for TriStar 30 SG Insecticide expires and must not be distributed or used in accordance with this SLN registration after December 31, 2011.

Revision 5/25/06

24(c) Distributed by:
Cleary Chemical Corporation
178 Ridge Road, Suite A
Dayton, NJ 08810
USA

TriStar ® is a registered trademark of Nippon Soda Co., Ltd.