



Special Local Need

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

ASULOX® HERBICIDE

EPA Reg. No. 70506-139

EPA SLN No. WA-080001

POSTEMERGENCE WEED CONTROL IN SPINACH GROWN FOR SEED

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this label and the main EPA-registered label. Do not enter or allow worker entry to treated areas during the restricted-entry interval (REI) of 12 hours.

DIRECTIONS FOR USE

WEEDS	RATE/A	INSTRUCTIONS
Shepherdspurse Pigweed	1.5 – 3.0 pts	Apply by ground as a water mix spray, using the low rate on spinach with 2-4 leaves, and the higher rate on spinach with 4-6 true leaves. Suggested dilution rate is 20 gallons water per acre. A non-ionic surfactant at 0.25% v/v may be added to the spray to increase efficacy. Crop oils and other adjuvants such as urea ammonium nitrate are not recommended. Apply once per growing season. Do not apply more than 3.0 pints Asulox per acre per growing season.

RESTRICTIONS/PRECAUTIONS

1. All spinach seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the director immediately upon request. Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter or other equivalent disposal site and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
2. No portion of the spinach seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
3. Spinach seed shall bear a tag or container label which forbids use of the seed for human consumption or animal feed.
4. Spinach seed may not be distributed for human consumption or animal feed.

5. For use under this SLN label do not apply this product through any type of irrigation systems.

Washington State Department of Agriculture (WSDA) container Disposal Guidance: Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.htm>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

This label for Asulox expires and must not be distributed or used in accordance with this SLN registration after December 31, 2010.

24c Registrant:

United Phosphorus, Inc.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406
www.upi-usa.com • 1-800-438-6071

Rev. 1/24/08