



**ETTRA**

Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF  
WASHINGTON**

**Caparol® 4L**

EPA Reg. No. 100-620  
EPA SLN No. WA-960014

**For control of weeds in seed carrot, seed parsley, seed parsnip, and  
seed dill**

**SYNGENTA'S SPECIAL CONDITIONS AND DISCLAIMER FOR USE OF CAPAROL 4L ON  
SEED CARROTS, SEED PARSLEY, SEED PARSNIP AND SEED DILL**

SYNGENTA CROP PROTECTION, INC. INTENDS THAT THIS SECTION 24(C) LABEL BE DISTRIBUTED ONLY BY THE COLOMBIA BASIN VEGETABLE SEED ASSOCIATION ONLY TO END USERS AND/OR GROWERS WHO AGREE IN WRITING TO THE TERMS AND CONDITIONS REQUIRED BY THE COLOMBIA BASIN VEGETABLE SEED ASSOCIATION INCLUDING A WAIVER AND RELEASE FROM ALL LIABILITY AND INDEMNIFICATION BY THE USER AND/OR GROWER OF SYNGENTA, COLOMBIA BASIN VEGETABLE SEED ASSOCIATION AND OTHERS FOR FAILURE TO PERFORM AND CROP DAMAGE FROM USE OF CAPAROL 4L ON SEED CARROTS, SEED PARSLEY, SEED PARSNIP AND SEED DILL. IF SUCH TERMS AND CONDITIONS ARE UNACCEPTABLE, RETURN CAPAROL 4L AT ONCE UNOPENED.

THIS PRODUCT WHEN USED ON SEED CARROTS, SEED PARSLEY, SEED PARSNIP AND SEED DILL MAY LEAD TO CROP INJURY, LOSS, OR DAMAGE. SYNGENTA RECOMMENDS THAT THE USER AND/OR GROWER TEST THIS PRODUCT IN ORDER TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE. THE COLOMBIA BASIN VEGETABLE SEED ASSOCIATION AND SYNGENTA MAKE THIS PRODUCT AVAILABLE TO THE USER AND/OR GROWER SOLELY TO THE EXTENT THE BENEFIT AND UTILITY, IN THE SOLE OPINION OF THE USER AND/OR GROWER, OUTWEIGH THE EXTENT OF POTENTIAL INJURY ASSOCIATED WITH THE USE OF THIS PRODUCT. THE DECISION TO USE OR NOT TO USE THIS HERBICIDE MUST BE MADE BY EACH INDIVIDUAL USER AND/OR GROWER ON THE BASIS OF POSSIBLE CROP INJURY FROM CAPAROL 4L, THE SEVERITY OF WEED INFESTATION, THE COST OF ALTERNATIVE WEED CONTROLS, AND OTHER FACTORS. BECAUSE OF THE RISK OF CROP DAMAGE ALL SUCH USE IS AT THE USER'S AND/OR GROWER'S RISK.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

---

## **DIRECTIONS FOR USE**

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered Caparol 4L.

This labeling must be in the possession of the user at the time of pesticide application.

### **Postemergence Application**

**Broadcast Application:** Apply 1-2 pints per acre after seed carrot, seed parsley, seed parsnip, or seed dill have 3-5 true leaves. Apply before weeds are 2 inches tall.

**Lay-By Application:** Apply 1-2 pints per acre preferably as a directed spray.

**Notes:** (1) **DO NOT** apply more than 4 pints of Caparol 4L per crop, (2) To reduce the chance of injury to rotational crops, the field should be disked as deep as possible and irrigated at least twice soon after harvest, (3) Use of Caparol 4L on soils that have excess salts or are highly calcareous may result in crop injury, (4) All applications are to be made by ground equipment with sufficient agitation in tank to keep mixture in suspension, using a minimum of 30 gallons per acre spray volume, (5) Good spray coverage is required for adequate weed control, and (6) The use of spray adjuvants is restricted to directed spray lay-by application only. Drop nozzles are recommended.

### **Precautions/Restrictions:**

1. All carrots, parsley, parsnip, dill seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the director immediately upon request. Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter or other equivalent disposal site and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
2. No portion of the carrots, parsley, parsnip, dill seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
3. Carrots, parsley, parsnip, dill seed shall bear a tag or container label, which forbids use of the seed for human consumption or animal feed.
4. Carrots, parsley, parsnip, dill seed may not be distributed for human consumption or animal feed.

Certain uses of prometryn may be restricted by a U.S. District Court final order. You may refer to the WSDA Endangered Species Program website at <http://agr.wa.gov/PestFert/EnvResources/Buffers.htm> for information regarding pesticides that are impacted by the final order.

All growers planning to apply Caparol 4L to seed carrots, seed parsley, seed parsnip, and seed dill must attend the orientation meeting regarding this special use of Caparol 4L hosted by the Columbia Basin Vegetable Seed Association.

## **Rotational Crops**

Winter wheat can be planted following seed carrot, seed parsley, seed parsnip, and seed dill treated with Caparol 4L, if the wheat is used for seed or plowed down and not used for food or feed.

The following crops may be seeded 5 months after applying no more than 4 pints of Caparol 4L per acre on seed carrot, seed parsley, seed parsnip, and seed dill: cabbage, celery, corn, onions, peas, red beets and sweet corn.

Other rotational crops may be planted 18 months after application of 4 pints of Caparol 4L per acre on seed carrot, seed parsley, seed parsnip, and seed dill.

**WSDA Container Disposal Guidance:** Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the internet from WSU at <http://pep.wsu.edu/waste/wd.html> or from WSDA at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.htm>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

**Chemigation:** For use under this SLN label do not apply this product through any type of irrigation system.

This label for Caparol 4L expires and must not be distributed or used in accordance with this SLN registration after December 31, 2009.

Caparol® trademark of Syngenta Crop Protection, Inc.

© 2004 Syngenta Crop Protection, Inc.

24(c) registrant:  
Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419-8300

EPA SLN No.: WA-960014

Label Code: WA0620075BA1004

Word: WACaparol4LSeedCropsSLNLbl10-27-04

Rev. 10/27/04