

RESTRICTED USE PESTICIDE

Due to acute toxicity to humans, aquatic organisms, and avian species. For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



Drexel

Drexel Chemical Company

FOR DISTRIBUTION AND USE ONLY
WITHIN THE STATE OF WASHINGTON

DREXEL ENDOSULFAN 3EC

EPA REG. NO. 19713-399
EPA SLN NO. WA-980012

SUPPLEMENTAL LABELING

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered label.

This label must be in the possession of the user at the time of application.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Alfalfa Grown for Seed

For control of Spotted alfalfa aphids and Lygus bugs, apply a maximum of 1.33 quarts of this product per acre in a minimum of 25 gallons of water per acre by ground application or a minimum of 10 gallons of water per acre by aerial application.

For either ground or aerial application, do not use more than 0.66 quart (1.33 pints) of this product per acre during bloom (see RESTRICTIONS, below).

Apply when insects first appear.

RESTRICTIONS / PRECAUTIONS

- Do not apply more than 1.33 quarts of this product (1 lb. ai/A) per acre per season.
- For aerial application, the use of a closed mixing/loading system is required.
- For use under this SLN label, do not apply this product through any type of irrigation system.
- Do not make more than 2 applications per season.
- Do not apply within 21 days of harvest.
- Restricted Entry Interval (REI) of 2 days.
- A 30 foot vegetative buffer strip must be maintained between all areas treated with this product and rivers, natural ponds, lakes, streams, reservoirs, marshes, estuaries, and commercial fish ponds.
- A 100 foot spray buffer is required for ground boom applications between a treated area and water bodies. See the EPA-registered product label for details and limits regarding nozzle selection, nozzle height, and wind speed limitations.
- A 300 foot spray buffer is required for aerial applications between a treated area and water bodies. See the EPA-registered product label for details and limits regarding boom width, nozzle selection, spray release height, and wind speed limitations.
- All Alfalfa seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the WSDA immediately upon request. Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter or other equivalent disposal site and shall include the lot numbers, amounts of material disposed of, the grower(s), and the date of disposal.

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327
Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: drexchem@bellsouth.net

SINCE 1972

- No portion of the Alfalfa seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
- Alfalfa seed shall bear a tag or container label which forbids use of the seed for human consumption or animal feed.
- Alfalfa seed may not be distributed for human consumption or animal feed.
- This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or broadleaf weeds. Do not apply the 1.33 quarts per acre (1 lb. ai/A) rate to blooming seed Alfalfa; apply at that rate as a pre-bloom or post-bloom spray only. Application of 1.33 pints per acre (0.5 lb. ai/A) to blooming seed Alfalfa must be timed to coincide with periods of minimum bee activity, between late evening and midnight.
- This product is extremely toxic to fish and aquatic invertebrates and toxic to birds and mammals. This product should not be used where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <http://agr.wa.gov/PestFert/EnvResources/EndangSpecies.htm>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the EPA-registered label for additional restrictions and precautions to protect aquatic organisms.

WSDA Container Disposal Guidance:

Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the internet from WSU at <http://pep.wsu.edu/waste/wd.html> or from WSDA at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.htm>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

THIS LABEL FOR DREXEL ENDOSULFAN 3EC EXPIRES AND MUST NOT BE DISTRIBUTED OR USED IN ACCORDANCE WITH THIS SLN REGISTRATION AFTER DECEMBER 31, 2010.

**24(c) Registrant:
DREXEL CHEMICAL COMPANY**