

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Laredo[®] EC

EPA Reg. No. 62719-412

EPA 24(c) Special Local Need Registration SLN OR-000002
For Distribution and Use Only in the State of Oregon

Expiration Date: This label is valid until December 31, 2011 or until otherwise amended, withdrawn, canceled, or suspended.

Rust (*Puccinia* spp.) Control in Perennial Grasses Grown for Seed and Powdery Mildew (*Erysiphe graminis*) Control in Kentucky Bluegrass Grown for Seed

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read this SLN and the label affixed to the container for Laredo[®] EC fungicide before applying.
- Use of Laredo EC according to this SLN is subject to all use directions, precautions and limitations imposed by the label affixed to the container for Laredo EC.

Active Ingredient

| | |
|---|------|
| myclobutanil: <i>a</i> -butyl- <i>a</i> -(4-chlorophenyl)- 1 <i>H</i> -1,2,4-triazole-1-propanenitrile | 25% |
| Other Ingredients | 75% |
| Total | 100% |

Contains 2 lb active ingredient per gallon
Contains petroleum distillates

Keep Out of Reach of Children

DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazards to Humans and Domestic Animals

Corrosive • Causes Irreversible Eye Damage • Causes Skin Burns • Harmful If Swallowed, Inhaled Or Absorbed Through The Skin

Do not swallow, get in eyes, on skin or breathe spray mist.

Environmental Hazards

Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift or runoff from areas treated.

Physical or Chemical Hazards

Combustible: Do not use, pour, spill or store near heat or open flame.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

General Information

Laredo EC is a systemic protectant and curative fungicide recommended for the control of specific diseases mentioned on this label. Optimum disease control is achieved when the fungicide is applied in a regularly scheduled preventative spray program.

Application Rate

Apply 8 to 12 fl oz of Laredo EC (0.125 to 0.187 lb active ingredient) in a minimum of 20 gallons of water per acre for ground application or in a minimum of 10 gallons of water per acre for aerial application. Begin applications in early spring or when disease symptoms are noticeable and continue applications on a 14- to 21-day application schedule.

| Target Pests | | Crops | |
|----------------|--------------------------|--------------------|-----------------------|
| powdery mildew | <i>Erysiphe graminis</i> | bluegrass | <i>Poa spp.</i> |
| rusts | <i>Puccinia spp.</i> | fescues | <i>Fescuta spp.</i> |
| | | orchardgrass | <i>Dactylis spp.</i> |
| | | perennial ryegrass | <i>Lolium spp.</i> |
| | | wheatgrass | <i>Agropyron spp.</i> |

Specific Use Restrictions:

- **Chemigation:** Do not apply this product through any type of irrigation system.
- **Do not** apply more than 48 fl oz of Laredo EC (0.75 lb active ingredient) per acre per year.
- **Do not** graze in treated areas for one year (365 days) following application.
- Producers of grass seed who use this product, or cause the product to be used on a field they operate, are required to inform, in writing, conditioners receiving seed produced on fields treated with Laredo EC. A copy of the labeling must be given by the producer to the conditioner. Processed seed must be labeled “**Not for human or animal consumption.**” All grass seed screenings, hay, forage and other crop by-products produced from treated fields must be disposed of in such a way that they cannot be distributed or used for food or feed.

®Trademark of Dow AgroSciences LLC

R153-084

Accepted ___/___/___

Replaces D06-153-009.